APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	te of filing in State Engineer's Office	OCT 2 6 1981		
Reti	urned to applicant for correction	FEB 1 8 1982		
Cor	rrected application filed	MAR 3 0 1982		
Mar	p filed	MAR 3 0 1982 under 44687		
	===			
15	55 East Second South Street and No. or P.O. Box No.	of Salt Lake City City or Town		
Ut	tah, 84111	hereby make ^S application for permission to appropriate the public		
wate	ters of the State of Nevada, as hereinafter sta	ated. (If applicant is a corporation, give date and place of incorpora-		
tion	n; if a copartnership or association, give name	s of members.)		
1.	The source of the proposed appropriation is	Underground		
		Name of stream, lake, spring, underground or other source		
2.	The amount of water applied for is	0.9 cfs second-feet One second-foot equals 448.83 gals, per min.		
		One second-foot equals 448.83 gals, per min. e-feet		
2				
		power, mining, manufacturing, domestic, or other use. Must limit to one use.		
4.	If use is for:			
	(a) Irrigation, state number of acres to be in	rrigated:		
	(b) Stockwater, state number and kinds of	animals to be watered:		
	(c) Other use (describe fully under "No. 12.	. Remarks"		
	(d) Power:			
	(1) Horsepower developed			
	(2) Point of return of water to stream.			
5.	The water is to be diverted from its source a	at the following point: in the Lot 3 Section 1 T.35N., Describe as being within a 40-acre subdivision of public		
	R.67E., M.D.B.&M., or at a po	int from which the SE corner of Section 35, T.36N.		
	survey, and by course and distance to a section corner. R.67E., M.D.B.&M., bears N. 1	If on unsurveyed land, it should be so stated. 8000' E. a distance of 1000 feet.		
6.	Place of use Section 1, T.35N., R	.67E. M.D.B.&M. Setion 35, T.36N., R.67E.,		
	Describe by	legal subdivision. If on unsurveyed land, it should be so stated.		
7.	Use will begin about January 1	and end about December 31, of each year.		
		Month and Day provisions of NRS 535.010 you may be required to submit plans and		
v.	-	works.) well, pump, pipe lines to places of use. State manner in which water is to be diverted, i.e. diversion structure, ditches and		
_	flumes, drilled well with pump and motor, etc. Estimated cost of works \$75,000.			
u	Herimoted cost of Works #/J.UUU.			

Compared Protested Pro. over Ruling N This i following list amount of final rigulated to reasonable maintained be kept of injection beneficial The to the secondition heating progeothermal issuance of the secondition of the secondition heating processing the secondition of the secondition heating processing the secondition has been secondition to the second to t	s to certify that I have examitations and conditions: permit is issued geothermal fluid head under beneficial use. decrease of fluit to prevent any wa discharge of the p well to determin use. production and injurface to protect	APPROVAL amined the fore subject the subject the permit is also also also also also also also als	by George R. OF STATE going application co existing red is only a sit will be do not a side of the argeothermal fixell and the	number and type of union system or closest E. Muller, Sr., Pueblo St., Render. ENGINEER in temporary allowers that this right. The well shall in the came amount of fluid.	Sr. SWRS 273 o, Nv., 89509 Int the same, subject to the same and that the che amount actuall the must allow for all be equipped and the measurements must injected into the same injected into the same same same same same same same sam
Compared Protested Pro. over Ruling Notested to the secondition neating processon and the secondition of the second of the	bc/js bc	sumptive. And extraction of the fore this permits also in the fore the conduction when the total extends of the foreduction when the total extends the total extends of the foreduction when the total extends the	By s/Err Ernest E 750 W. F by George R. OF STATE going application co existing r ed is only a nit will be d so understood re and heat geothermal f well and the	number and type of usest E. Muller, E. Muller, Sr., Pueblo St., Reno E. Boucher ENGINEER in temporary allowed that this right that this right The well shadluid. Accurate amount of fluid	Sr. SWRS 273 o, Nv., 89509 Int the same, subject to the same and that the che amount actuall the must allow for all be equipped and the measurements must injected into the same and that the same and that the same and the same actuall that the same actuall the same actuall that the same actuall the equipped and the same actuall that the same actually the
Compared. Protested Pro. over Ruling Notes amount of final rigulated to reasonable maintained be kept of injection beneficial. The to the secondition meating prothermal issuance of the secondition of the second of the	bc/js pm/ bc/js pm/ 6/9/82 by David Eddy fruled 1/26/89 6. 3573 s to certify that I have examitations and conditions: permit is issued geothermal fluid heart obtained under beneficial use. decrease of fluid to prevent any wa discharge of the p well to determinuse. production and injurface to protect	APPROVAL at extraction as at extraction as a second of the fore and	By s/Err Ernest E 750 W. F by George R. OF STATE going application and will be diso understood and heat geothermal fixell and the	nest E. Muller, Muller, Sr., Pueblo St., Reno E. Boucher ENGINEER A, and do hereby gran ights. It is un temporary allo lependent upon to that this right that this right The well sha luid. Accurate amount of fluid	Sr. SWRS 273 o, Nv., 89509 Int the same, subject to the same and that the che amount actuall the must allow for all be equipped and the measurements must injected into the same injected into the same same same same same same same sam
Compared Protested Pro. over Ruling N This if following limits amount of the secondition deating procedured in the second	bc/js pm/ 6/9/82 by David Eddy for lead 1/26/89 6. 3573 s to certify that I have examitations and conditions: permit is issued geothermal fluid head under beneficial use. I decrease of fluit to prevent any was discharge of the pwell to determinuse. production and injurface to protect	APPROVAL subject the subject this perm It is also id pressur ste of the production we the total	By s/Err Ernest E 750 W. F by George R. OF STATE going application co existing r ed is only a nit will be d so understood re and heat geothermal f well and the	nest E. Muller, E. Muller, Sr., Pueblo St., Reno E. Boucher ENGINEER a, and do hereby gran ights. It is us temporary allow temporary allow tependent upon to that this right that this right The well sha luid. Accurate amount of fluid	Sr. SWRS 273 O, Nv., 89509 In the same, subject to the amount actuall the amount actuall the must allow for all be equipped and the measurements must injected into the amount actuall the measurements must allow for all be equipped and the measurements must allow the injected into the sweet and injected injected injected into the sweet and injected inje
Compared Protested Pro. over Ruling N This if following limple to the secondition meating procedured to the second to the	bc/js pm/ 6/9/82 by David Eddy fruled 1/26/89 60. 3573 s to certify that I have examitations and conditions: permit is issued geothermal fluid heart obtained under beneficial use. decrease of fluid to prevent any ward discharge of the production and injurface to protect	APPROVAL amined the fore subject the subject the permoder of the subject the	Bys/Err Ernest E 750 W. F by George R. OF STATE going application co existing r ded is only a nit will be d ounderstood ce and heat geothermal f well and the	nest E. Muller, E. Muller, Sr., Pueblo St., Reno E. Boucher ENGINEER and do hereby grantights. It is un temporary allow temporary allow tependent upon to that this right that this right The well sha luid. Accurate amount of fluid	Sr. SWRS 273 o, Nv., 89509 In the same, subject to the same and that the che amount actuall the must allow for all be equipped and the measurements must injected into the same and that the same as a measurement of the
Protested Pro. over Ruling Notes that I right amount of the standard to the standard that I had been aligned to the standard that I had been to the standard production the standard protection that I had been to the standard procedure of the standard	6/9/82 by David Eddy cruled 1/26/89 60. 3573 s to certify that I have examitations and conditions: permit is issued geothermal fluid hight obtained under beneficial use. decrease of fluid to prevent any was discharge of the pwell to determinuse. production and injurface to protect	APPROVAL amined the fore subject the subject this perm It is also id pressure iste of the coroduction were	By s/Err Ernest E 750 W. F by George R. OF STATE going application co existing r ed is only a nit will be d so understood re and heat geothermal f well and the	mest E. Muller, E. Muller, Sr., Pueblo St., Rend E. Boucher ENGINEER A, and do hereby grantights. It is used to the temporary allowed that this right. The well shalluid. Accurate amount of fluid	swrs 273 o, Nv., 89509 Int the same, subject to the same and that the same and that the che amount actuall the must allow for all be equipped and the measurements must injected into the sweet state of the sweet sweet into the sweet s
Protested Pro. over Ruling Notes that I right amount of the standard to the standard that I had been aligned to the standard that I had been to the standard production the standard protection that I had been to the standard procedure of the standard	6/9/82 by David Eddy cruled 1/26/89 60. 3573 s to certify that I have examitations and conditions: permit is issued geothermal fluid hight obtained under beneficial use. decrease of fluid to prevent any was discharge of the pwell to determinuse. production and injurface to protect	APPROVAL amined the fore subject the subject this perm It is also id pressur ste of the coroduction were	Ernest E 750 W. For the Foundation of STATE agoing application and the feel and the feel and the	E. Muller, Sr., Pueblo St., Rend E. Boucher ENGINEER a, and do hereby grantights. It is used temporary allowed that this right. The well shadluid. Accurate amount of fluid	swrs 273 o, Nv., 89509 Int the same, subject to the same and that the same and that the che amount actuall the must allow for all be equipped and the measurements must injected into the sweet state of the sweet sweet into the sweet s
Protested Pro. over Ruling Notes and This in following liming the second to the second time of the second time at the second	6/9/82 by David Eddy cruled 1/26/89 60. 3573 s to certify that I have examitations and conditions: permit is issued geothermal fluid hight obtained under beneficial use. decrease of fluid to prevent any was discharge of the pwell to determinuse. production and injurface to protect	APPROVAL amined the fore subject the subject this perm It is also id pressur ste of the coroduction were	Ernest E 750 W. For the Foundation of STATE agoing application and the feel and the feel and the	E. Muller, Sr., Pueblo St., Rend E. Boucher ENGINEER a, and do hereby grantights. It is used temporary allowed that this right. The well shadluid. Accurate amount of fluid	swrs 273 o, Nv., 89509 Int the same, subject to the same and that the same and that the che amount actuall the must allow for all be equipped and the measurements must injected into the sweet state of the sweet sweet into the sweet s
Protested Pro. over Ruling Notes and This in following liming the second to the second time of the second time at the second	6/9/82 by David Eddy cruled 1/26/89 60. 3573 s to certify that I have examitations and conditions: permit is issued geothermal fluid hight obtained under beneficial use. decrease of fluid to prevent any was discharge of the pwell to determinuse. production and injurface to protect	APPROVAL amined the fore subject the subject this perm It is also id pressur ste of the coroduction were	750 W. For the property of the	E. Boucher E. Boucher ENGINEER A, and do hereby grantights. It is used to temporary allowed that this right. The well shalluid. Accurate amount of fluid	o, Nv., 89509 Int the same, subject to the same and that the che amount actuall the must allow for all be equipped and measurements must injected into the same and that the same actuall same as the same actuall same actual s
Pro. over Ruling Notes that I was a mount of the secondition neating processing the secondition of the second o	s to certify that I have examitations and conditions: permit is issued geothermal fluid heart obtained under beneficial use. decrease of fluit to prevent any was discharge of the pwell to determinuse. production and injurface to protect	APPROVAL amined the fore subject the sub	co existing red is only a nit will be do understood re and heat geothermal feell and the	ENGINEER a, and do hereby grantights. It is used to temporary allowed that this right. The well shalluid. Accurate amount of fluid	nt the same, subject to to the same, subject to the inderstood that the ownice and that the che amount actuall into must allow for all be equipped and injected into the indext.
This i following li This amount of final rig placed to reasonable maintained be kept of injection beneficial The to the s condition neating p geothermal	s to certify that I have examitations and conditions: permit is issued geothermal fluid h the obtained under beneficial use. decrease of flu to prevent any wa discharge of the p well to determin use. production and inj	APPROVAL amined the fore subject the subject to the subject to subject the subject the subject the subject to subject the subject the subject the subject to subject the sub	going application co existing red is only a nit will be d co understood ce and heat geothermal for	ights. It is use temporary allowed that this right. The well shalluid. Accurate amount of fluid	understood that the owance and that the the amount actuall at must allow for all be equipped and measurements must injected into the
following limits amount of final rigoral responsible to the secondition reacting processing the secondition reacting processing response of the secondition reacting processing response of the secondition reacting response of the second response of the sec	s to certify that I have examitations and conditions; permit is issued geothermal fluid heart obtained under beneficial use. decrease of flut to prevent any was discharge of the pwell to determinuse. production and injurface to protect	amined the fore subject to the grant this perm It is also tid pressur the of the production were	going application co existing red is only a nit will be d co understood ce and heat geothermal for	ights. It is use temporary allowed that this right. The well shalluid. Accurate amount of fluid	understood that the owance and that the the amount actuall at must allow for all be equipped and measurements must injected into the
following limits amount of sinal rigoral responsible to the secondition reacting procedures and the secondition reacting procedures are secondition reacting procedures and the secondition reacting procedures are seconditions and the secondition reacting procedures are seconditions and the secondition reacting procedures are seconditions and the second reacting procedures are second reacting procedures.	mitations and conditions: permit is issued geothermal fluid h th obtained under beneficial use. decrease of flu to prevent any wa discharge of the p well to determin use. production and inj	l subject to therein grant this perm It is also id pressureste of the production we the total	co existing red is only a nit will be do understood e and heat geothermal foell and the	ights. It is use temporary allowed the temporary allowed that this right. The well shallowed amount of fluid.	understood that the owance and that the the amount actuall at must allow for all be equipped and measurements must injected into the
This amount of final rigolaced to reasonable maintained be kept of injection beneficial The condition neating procedures and the standard procedures are standard procedures are standard procedures and the standard procedures are standard procedures and the standard procedures are standard procedur	permit is issued geothermal fluid he had not ained under beneficial use. decrease of fluid to prevent any ward discharge of the pwell to determinuse. production and injurface to protect	erein grant this perm It is als id pressur ste of the production we the tota	ed is only a nit will be do understood te and heat geothermal for the	temporary allowed temporary allowed that this right. The well shall amount of fluid	wance and that the che amount actuall nt must allow for all be equipped and measurements must injected into the
Injection (CONTINUED The amoun not to exce	that only geother burposes and fresh fluids are to of this permit does mits from State, well and/or other ON PAGE 2) to f water to be appropriated	fresh water rmal fluids , cold wat be returne not waive to Federal a r analyses	zones. This are to be deter aquifers and to the sound local as of the sound to the amount of the amount cubic feet p	emented from the second is permit is issolverted and use are not to be dource via the intents that the pergencies. A drystem used for ant which can be apported to the second in the sec	ne producing level sued subject to the dependent of the deficially for the use a pection well. The ermit holder obtained log on the returning the use olied to beneficial use, as
Work must	be prosecuted with reason	able diligence a	and be completed	on or before	February 16, 1992
Proof of co	mpletion of work shall be fi	iled before			March 16, 1992
Application	of water to beneficial use	shall be made o	on or before		February 16, 1994
Proof of th	e application of water to b	eneficial use sh	nall be filed on or	before	March 16, 1994
Map in sup	port of proof of beneficial	use shall be file	ed on or before	**-*	N/A
Completion of	of work filed	IN			PETER G. MORROS set my hand and the seal
Proof of ben	eficial use filed				February
Cultural mar	filed			'm	repruary
Certificate N	oIssued		A.D. 1989		Mara
JUN	(Rev.) 5 - 1992 BECAUS OMEN WITH THE PROVISION	E OF FAILURE		vu	State Engineer

Page 2 44688

(PERMIT TERMS CONTINUED)

geothermal fluids to the source must be submitted together with the Proof of Completion.

An annual report for this well must be filed under this permit describing the amount of geothermal fluid diverted and consumed to a beneficial use for the calendar year. This report must detail the amount of fluid produced and injected.

The total withdrawal of the geothermal fluid shall be limited to 651.57 acre-feet per year but the total consumptive use of the geothermal fluid is limited to only incidental fluid losses in the system and in no case shall it amount to more than 10% of the volume withdrawn annually. The State Engineer does not waive the right to make a determination of incidental fluid losses at any time and impose additional conditions thereto.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.